



AMERICAN MUSEUM OF NATURAL HISTORY

Media Inquiries:

Kendra Snyder, Department of Communications
212-496-3419; ksnyder@amnh.org
www.amnh.org

February 23, 2015

RESEARCH SHOWS THAT SEA URCHINS, SAND DOLLARS THRIVED WITH TIME

DIVERSIFICATION RATES OF ECHINOIDS OVERRIDE CLASSICAL EVOLUTIONARY PATTERN, INCREASE OVER TIME

A new study about echinoids – marine animals like sea urchins and sand dollars – gives scientists a reason to rethink a classical pattern of evolution. Fossil-based studies have traditionally indicated that groups of organisms diversify fastest early in their evolutionary history, followed by a steady decline through time. But the new work on Echinoidea, published this week in the *Proceedings of the National Academy of Sciences*, contradicts that expectation, showing that rates of evolution were actually lowest at the group's onset and increased over time through episodic bursts associated with changes in the animals' feeding strategies.

"This study demonstrates the dynamic nature of evolutionary change within major groups of organisms," said Melanie Hopkins, one of the co-authors on the study and an assistant curator in the American Museum of Natural History's Division of Paleontology. "It might sound obvious, but we've been able to show here how scale plays a large role in how rates of evolutionary change are interpreted. The pattern you see over one hundred thousand years will usually look much different than what you see over one hundred million years. And it's going to vary depending on the part of the family tree you're looking at as well."

To examine evolutionary changes over a long time scale of a very complete family tree, Hopkins and her colleague Andrew Smith, a paleontologist at the Natural History Museum, London, looked at echinoids, which originated about 265 million years ago. Sometimes referred to as sea hedgehogs because of their hard shells that are

covered in spines, about 950 different species of echinoids live in today's oceans.

"Echinoids have a complex skeleton made of interlocking calcite plates that makes them ideal for studying morphological evolution, and have evolved to occupy a wide range of ecological niches," said Smith.

Hopkins and Smith applied recently developed methods for estimating rates of morphological, or physical, changes among echinoids, from the Permo-Triassic mass extinction 251 million years ago – the greatest extinction event in Earth's history – to today. Contrary to expectation, they found that the rates of evolution were lowest immediately following the extinction event and increased over time.

"Many clades appear to have high initial rates, followed by slow-downs as ecological space fills," Hopkins said. "Here, we show a case where evolutionary rates in a large group of animals show a net increase over time instead."

But the increase hasn't been smooth: It was punctuated by bursts of diversification throughout time that coincide with shifts in the animals' feeding strategies. For example, the evolution of gravity-assisted deposit feeding by sand dollars in the Eocene (which occurred between 56 to 34 million years ago) corresponds with a significant spike in morphological innovation. This strategy, which many sand dollars still use today, involves lying flat underneath a thin layer of sand – mouth side down – and using tube feet and mucous-filled channels to bring food particles to the oral cavity, having sifted them out of the sand.

The new research indicates the evolutionary stories behind many clades – not just echinoids – might be more complex than has previously been shown.

AMERICAN MUSEUM OF NATURAL HISTORY (AMNH.ORG)

The American Museum of Natural History, founded in 1869, is one of the world's preeminent scientific, educational, and cultural institutions. The Museum encompasses 45 permanent exhibition halls, including the Rose Center for Earth and Space and the Hayden Planetarium, as well as galleries for temporary exhibitions. It is home to the Theodore Roosevelt Memorial, New York State's official memorial to its 33rd governor and the nation's 26th president, and a tribute to Roosevelt's enduring legacy of conservation. The Museum's five

active research divisions and three cross-disciplinary centers support approximately 200 scientists, whose work draws on a world-class permanent collection of more than 33 million specimens and artifacts, as well as specialized collections for frozen tissue and genomic and astrophysical data, and one of the largest natural history libraries in the world. Through its Richard Gilder Graduate School, it is the only American museum authorized to grant the Ph.D. degree. In 2012, the Museum began offering a pilot Master of Arts in Teaching program with a specialization in Earth science, which is the only non-university affiliated such program in the United States. Approximately 5 million visitors from around the world came to the Museum last year, and its exhibitions and Space Shows can be seen in venues on five continents. The Museum's website and collection of apps for mobile devices extend its collections, exhibitions, and educational programs to millions more beyond its walls. Visit amnh.org for more information.

Follow

Become a fan of the Museum on Facebook at facebook.com/naturalhistory, follow us on Instagram at [@AMNH](https://twitter.com/AMNH), Tumblr at [amnhnyc](https://amnhnyc.tumblr.com/) or visit twitter.com/AMNH to follow us on Twitter.

#

No. 8