



AMERICAN MUSEUM OF NATURAL HISTORY

Media Inquiries:

Kendra Snyder, Department of Communications
212-496-3419; ksnyder@amnh.org
www.amnh.org

February 24, 2015

CROCS ROCKED PRE-AMAZONIAN PERU

NEW RESEARCH UNCOVERS SEVEN CROCODILE SPECIES IN SINGLE 13-MILLION-YEAR-OLD BONE BED; HYPERDIVERSITY LINKED TO SPECIALIZED FEEDING STRATEGY

Thirteen million years ago, as many as seven different species of crocodiles hunted in the swampy waters of what is now northeastern Peru, new research shows. This hyperdiverse assemblage, revealed through more than a decade of work in Amazon bone beds, contains the largest number of crocodile species co-existing in one place at any time in Earth's history, likely due to an abundant food source that forms only a small part of modern crocodile diets: mollusks like clams and snails. The work, published today in the journal *Proceedings of the Royal Society B*, helps fill in gaps in understanding the history of the Amazon's remarkably rich biodiversity.

"The modern Amazon River basin contains the world's richest biota, but the origins of this extraordinary diversity are really poorly understood," said John Flynn, Frick Curator of Fossil Mammals at the American Museum of Natural History and an author on the paper. "Because it's a vast rain forest today, our exposure to rocks – and therefore, also to the fossils those rocks may preserve – is extremely limited. So anytime you get a special window like these fossilized "mega-wetland" deposits, with so many new and peculiar species, it can provide novel insights into ancient ecosystems. And what we've found isn't necessarily what you would expect."

Before the Amazon basin had its river, which formed about 10.5 million years ago, it contained a massive wetland system, filled with lakes, embayments, swamps, and rivers that drained northward toward the Caribbean, instead of today's pattern of eastward river flow to the Atlantic Ocean. Knowing the kind of life that existed at that time is crucial to understanding the history and origins of modern Amazonian biodiversity. But although

invertebrates like mollusks and crustaceans are abundant in Amazonian fossil deposits, evidence of vertebrates other than fish have been very rare.

Since 2002, Flynn has been co-leading prospecting and excavating expeditions with colleagues at fossil outcrops of the Pebas Formation in northeastern Peru. These outcrops have preserved life from the Miocene, including the seven species of crocodiles discussed in *Proceedings B*. Three of the species are entirely new to science, the strangest of which is *Gnatusuchus pebasensis*, a short-faced caiman with globular teeth that is thought to have used its snout to “shovel” mud bottoms, digging for clams and other mollusks. The new work suggests that the rise of *Gnatusuchus* and other “durophagous,” or shell-crunching, crocodiles is correlated with a peak in mollusk diversity and numbers, which disappeared when the mega-wetlands transformed into the modern Amazon River drainage system.

“When we analyzed *Gnatusuchus* bones and realized that it was probably a head-burrowing and shoveling caiman preying on mollusks living in muddy river and swamp bottoms, we knew it was a milestone for understanding proto-Amazonian wetland feeding dynamics,” said Rodolfo Salas-Gismondi, lead author of the paper and a graduate student at the University of Montpellier, in France, as well as researcher and chief of the paleontology department at the National University of San Marcos’ Museum of Natural History in Lima, Peru.

Besides the blunt-snouted crocodiles like *Gnatusuchus*, the researchers also recovered the first unambiguous fossil representative of the living smooth-fronted caiman *Paleosuchus*, which has a longer and higher snout shape suitable for catching a variety of prey, like fish and other active swimming vertebrates.

“We uncovered this special moment in time when the ancient mega-wetland ecosystem reached its peak in size and complexity, just before its demise and the start of the modern Amazon River system,” Salas-Gismondi said. “At this moment, most known caiman groups co-existed: ancient lineages bearing unusual blunt snouts and globular teeth along with those more generalized feeders representing the beginning of what was to come.”

The new research suggests that with the inception of the Amazon River System, mollusk populations declined and durophagous crocodile species went extinct as caimans with a broader palate diversified into the generalist feeders that dominate modern

Amazonian ecosystems. Today, six species of caimans live in the whole Amazon basin, although only three ever co-exist in the same area and they rarely share the same habitats. This is in large contrast to their ancient relatives, the seven diverse species that lived together in the same place and time.

Other authors of the paper include Patrice Baby, University of Toulouse and Convenio IRD-PeruPetro; Julia Tejada-Lara, the Museum of Natural History, Peru, and University of Florida; Frank Wesselingh, Naturalis Biodiversity Center, Netherlands; and Pierre-Olivier Antoine, University of Montpellier, France.

This study was partially funded by NASA, The Field Museum, the AMNH Frick Fund, the ECLIPSE program of France, the National Center for Scientific Research (CNRS), the Institute of Research for Development (IRD), and the Escuela Doctoral Franco-Peruana de Ciencias de la Vida (doctoral grant to R.S-G).

AMERICAN MUSEUM OF NATURAL HISTORY (AMNH.ORG)

The American Museum of Natural History, founded in 1869, is one of the world's preeminent scientific, educational, and cultural institutions. The Museum encompasses 45 permanent exhibition halls, including the Rose Center for Earth and Space and the Hayden Planetarium, as well as galleries for temporary exhibitions. It is home to the Theodore Roosevelt Memorial, New York State's official memorial to its 33rd governor and the nation's 26th president, and a tribute to Roosevelt's enduring legacy of conservation. The Museum's five active research divisions and three cross-disciplinary centers support approximately 200 scientists, whose work draws on a world-class permanent collection of more than 33 million specimens and artifacts, as well as specialized collections for frozen tissue and genomic and astrophysical data, and one of the largest natural history libraries in the world. Through its Richard Gilder Graduate School, it is the only American museum authorized to grant the Ph.D. degree. In 2012, the Museum began offering a pilot Master of Arts in Teaching program with a specialization in Earth science, which is the only non-university affiliated such program in the United States. Approximately 5 million visitors from around the world came to the Museum last year, and its exhibitions and Space Shows can be seen in venues on five continents. The Museum's website and collection of apps for mobile devices extend its collections, exhibitions, and educational programs to millions more beyond its walls. Visit amnh.org for more information.

Follow

Become a fan of the Museum on Facebook at [facebook.com/naturalhistory](https://www.facebook.com/naturalhistory), follow us on Instagram at [@AMNH](https://www.instagram.com/AMNH), Tumblr at [amnhnyc](https://www.tumblr.com/AMNH) or visit twitter.com/AMNH to follow us on Twitter.

#

No. 10