



AMERICAN MUSEUM OF NATURAL HISTORY

Media Inquiries: Kendra Snyder, Department of Communications
212-496-3419; ksnyder@amnh.org
www.amnh.org

Wednesday, March 18, 2015

PROTEIN SEQUENCING SOLVES DARWINIAN MYSTERY OF “STRANGE” SOUTH AMERICAN MAMMALS

BONE COLLAGEN STUDY REVEALS THAT EXTINCT SOUTH AMERICAN UNGULATES ARE CLOSELY RELATED TO GROUPS THAT ALSO GAVE RISE TO HORSES AND RHINOS

Scientists have resolved pieces of a nearly 200-year-old evolutionary puzzle surrounding the group of mammals that Charles Darwin called the “strangest animals ever discovered.” New research led by the American Museum of Natural History, the Natural History Museum in London, and the University of York shows that South America’s so-called “native ungulates” – the last of which disappeared only 10,000 years ago – are actually related to mammals like horses rather than elephants and other species with ancient evolutionary ties to Africa as some taxonomists have maintained. Published today in the journal *Nature*, the findings are based on fossil protein sequences, which allow researchers to peek back in time up to 10 times farther than they can with DNA.

“Fitting South American ungulates to the mammalian family tree has always been a major challenge for paleontologists, because anatomically they were these weird mosaics, exhibiting features found in a huge variety of quite unrelated species living all over the place,” said Ross MacPhee, one of the paper’s authors and a curator in the American Museum of Natural History’s Department of Mammalogy. “This is what puzzled Darwin and his collaborator Richard Owen so much in the early 19th century. With all of these conflicting signals, they couldn’t say whether these ungulates were related to giant rodents, or elephants, or camels – or what have you.”

Ian Barnes, research leader at the Natural History Museum in London and another of the paper’s authors, explained, “Although the bones of these animals had been studied for over 180 years, no clear picture of their origins had been reached. Our analyses began by

investigating ancient DNA to try to resolve the problem.”

However, the team soon realized that ancient DNA – that is, genetic material extracted from fossils – did not survive in these specimens because the DNA molecule degrades quickly in the warm, wet conditions like those typical of South America. The breakthrough came when the researchers switched to analyzing collagen, a structural protein found in all animal bones that can survive for a million years or more in a wide range of conditions. The chemical structure of the amino acids that make up a protein is ultimately dictated by specific coding sequences in the organism’s DNA. Because of this key relationship, amino acid compositions of the same protein in different species can be compared, providing insight into how closely the species are related.

“People have been successful in retrieving collagen sequences from specimens dating up to 4 million years old, and this is just the start,” said University of York professor Matthew Collins, whose lab did the sequencing work. “On theoretical grounds, with material recovered from permafrost conditions, we might be able to reach back 10 million years.”

The scientists used proteomic analysis to screen 48 fossils of *Toxodon platensis* and *Macrauchenia patachonica*, the very species whose remains Darwin discovered 180 years ago in Uruguay and Argentina.

“By selecting only the very best preserved bone specimens and with various improvements in proteomic analysis, we were able to obtain roughly 90 percent of the collagen sequence for both species,” said lead author Frido Welker, a Ph.D. student at the Max Planck Institute for Evolutionary Anthropology and the University of York. “This opens the way for various other applications in paleontology and paleoanthropology, which we are currently exploring.”

With modern techniques of phylogenetic interpretation, the researchers were able to conclusively show that the closest living relatives of these species were the perissodactyls, the group that includes horses, rhinos, and tapirs. This makes them part of Laurasiatheria, one of the major groups of placental mammals. The molecular evidence corroborates a view held by some leading paleontologists that the ancestors of these South American ungulates came from North America more than 60 million years ago, probably just after the mass extinction that killed off non-avian dinosaurs and many other vertebrates. Because the

South American ungulates were such a large and varied group, it is not clear whether other lineages not studied by the researchers all had the same origin.

“This is a definite possibility,” MacPhee said, “and we are now working with our South American colleagues to sample fossils that might settle once and for all where these magnificent beasts came from.”

Other authors on this work include: Jessica Thomas, Marc Wadsley, Jane Thomas-Oates, David Ashford, Peter Ashton, and Keri Rowsell, University of York; Selina Brace, Natural History Museum, London; Enrico Cappellini, Jesper Olsen, Christian Kelstrup, Eske Willerslev, and Ludovic Orlando, University of Copenhagen; Samuel Turvey, Zoological Society of London; Marcelo Reguero and Javier Gelfo, Museo de La Plata; Alejandro Kramarz, Museo Argentino de Ciencias Naturales; Joachim Burger, Johannes Gutenberg-University; Duncan Porter, Virginia Polytechnic Institute & State University; Benedikt Kessler and Roman Fischer, University of Oxford; Carsten Baessmann, and Stephanie Kaspar, Bruker Daltonik GmbH; Victoria Mullin, Trinity College Dublin; Michael Hofreiter, University of York and the University of Potsdam; John Southon, University of California, Irvine, and Jean-Jacques Hublin, Max Planck Institute for Evolutionary Anthropology.

This research was partly funded through the Systematics and Taxonomy research scheme (SynTax) supported by the Systematics Association, Linnean Society, and the Biotechnology and Biological Sciences Research Council and the Natural Environment Research Council; and the National Science Foundation grant # OPP 1142052.

DOI: [10.1038/nature14249](https://doi.org/10.1038/nature14249)

AMERICAN MUSEUM OF NATURAL HISTORY (AMNH.ORG)

The American Museum of Natural History, founded in 1869, is one of the world’s preeminent scientific, educational, and cultural institutions. The Museum encompasses 45 permanent exhibition halls, including the Rose Center for Earth and Space and the Hayden Planetarium, as well as galleries for temporary exhibitions. It is home to the Theodore Roosevelt Memorial, New York State’s official memorial to its 33rd governor and the nation’s 26th president, and a tribute to Roosevelt’s enduring legacy of conservation. The

Museum's five active research divisions and three cross-disciplinary centers support approximately 200 scientists, whose work draws on a world-class permanent collection of more than 33 million specimens and artifacts, as well as specialized collections for frozen tissue and genomic and astrophysical data, and one of the largest natural history libraries in the world. Through its Richard Gilder Graduate School, it is the only American museum authorized to grant the Ph.D. degree. In 2012, the Museum began offering a pilot Master of Arts in Teaching program with a specialization in Earth science, which is the only non-university affiliated such program in the United States. Annual attendance has grown to approximately 5 million, and the Museum's exhibitions and Space Shows can be seen in venues on five continents. The Museum's website and collection of apps for mobile devices extend its collections, exhibitions, and educational programs to millions more beyond its walls. Visit amnh.org for more information.

Follow

Become a fan of the Museum on Facebook at facebook.com/naturalhistory, follow us on Instagram at [@AMNH](https://twitter.com/AMNH), Tumblr at [amnhnyc](https://amnhnyc.tumblr.com/) or visit twitter.com/AMNH to follow us on Twitter.

#

No. 20